

# VERSACAP





Inquire About How Versatrim Can Eliminate Your Inventory and Storage Needs.

Try Our New Versatrim Treads, An Exact Match Full Tread Solution



## **ABOUT US**


#### The Leading Molding Brand in North America!

Versatrim is an award-winning leader in the flooring industry, located outside of Raleigh, NC., that manufactures, sells, and distributes a complete line of custom coordinated floor moldings and trims for laminate and vinyl flooring.

Our innovative approach to molding solutions, and its ability to coordinate with most of the top colors in the vinyl, luxury vinyl tile, wood plastic vinyl, and laminate flooring industry, has guided us to the forefront as a leading manufacturer of floor moldings.

In addition to our core products, we have unique offerings that include flexible moldings, stair solutions, adhesive and a variety of accessories to help complete your flooring projects.

We've proudly been serving our customers for over 25 years. For additional information on our products and services please visit www.versatrim.com.



### Order online at versatrim.com or call 1.866.200.8132

## **SUSTAINABILITY**



#### **Embracing Green Practices for a Sustainable Future**

At Versatrim, we are committed to making a positive impact on the environment and promoting sustainable development in the construction industry. We are excited to share with you our innovative solutions that not only enhance the aesthetics and functionality of your projects but also contribute to a greener and more sustainable future.



#### **Eco-Friendly Materials**

Our products are crafted using high-quality, environmentally friendly materials that are sourced responsibly. We prioritize the use of recycled and renewable materials, reducing our carbon footprint and minimizing waste.



#### **Waste Reduction**

We are dedicated to minimizing waste throughout our manufacturing process. By utilizing advanced production techniques and optimizing material usage, we significantly reduce waste generation. Our commitment to recycling cardboard and aluminum and repurposing further ensures that materials are diverted from landfills.



#### **Longevity and Durability**

Versatrim products are built to last, reducing the need for frequent replacements and minimizing waste generation over time. Our durable materials and expert craftsmanship ensure that your projects maintain their quality and appearance for years to come.

Join us in embracing sustainable development and making a positive impact on the environment. Together, we can create a greener future for generations to come.



## FLOORING TRIM & MOLDINGS MADE IN THE USA



Versatrim proudly manufactures all flooring trims and moldings in the USA.

Since 1998 our company has been proudly making quality products in our manufacturing facility in Henderson, North Carolina.

Our entire team at Versatrim is dedicated to providing you with the very highest quality products by great service. We welcome the opportunity to serve you.

Thank you for considering Versatrim and supporting made in the U.S.A products.







## **PROGRAM OPTIONS**

#### **Versatrim Provides Floor:**

We have partnered with many manufacturers to purchase flooring directly to make VersaCaps. A full list of available brands/collections are listed on pages 5 and 6. The listing is also available online at versatrim.com.

Lead Time: up to 15 business days once order has been released.

#### Customer Provides Floor:

Call your Sales Representative to see what brands/collections have been tested: 1.866.200.8132. If your flooring is not listed, you can send us the floor to test. Please ask your Sales Rep for a testing form. Once a floor has passed testing and is available to produce VersaCaps, the customer is required to ship at least 20% or more flooring than the quantity of caps requested. Unused flooring or

Lead Time: Up to 15 business days once flooring has been received and order has been released.

Ship Flooring to: Attn: VersaCap Orders, Versatrim LLC., 101 Eastern Minerals Road, NC 27537. Please add your Versatrim Sales Order Number to include on shipping label.

#### To Set Up an Account With Versatrim, Please Complete the Following Steps:

- Visit http://versatrim.com/how-to-order
- · Complete the 2 forms to establish your credit terms:
- 1. Credit Application We also accept all major credit cards and certified checks in the event that you choose not to have open credit terms with us.
- 2. Company Contact Form This form will enable us to correctly identify your company, to expedite your orders and avoid mistakes.

### **HOW TO ORDER**

#### Place Your Order 1 of 4 Ways:



#### **Shop Online:**

Order Online at versatrim.com and register for a business account by selecting the option on the top tool bar and follow the steps.



Go to versatrim.com/how-to-order, download an order form & email the completed form to orders@versatrim.com.



Fill out the order form (on page 7) or go to versatrim.com/how-to-order, download an order form & fax the completed form to 252.430.8801.



#### Phone:

Call Us - Contact Customer Service by calling 1.866.200.8132, option 2.

#### **Return Policy:**

VersaCaps are made to order and are considered a custom product and are Non-Returnable.

### WARRANTY



#### We Offer a Limited Lifetime Residential Warranty on Our VersaCaps.

For more information and to view our warranty, please scan the QR code at the left or go to: Versatrim.com/warranties





**Company Name:** 

## Order online at versatrim.com or call 1.866.200.8132

Date:

## VERSACAP ORDER FORM

## **Email Completed Form to:** orders@versatrim.com or Fax: (252) 430-8801

Address:				Purchaser:		
City/State/Zip:		Customer ID:	Sidemark:			
	FIIOIIG.	Ciliali.	FO#.	Sidellia	11K:	
FL	OOR BRAND NAME:					
FLOOR COLOR NAME:			SKU NUMBER:			
		YOU ARE ORDERING FROM: Veildes FLOOR PROGRAM, Please provide a copy of this completed form			Provides Flooring de your Tracking Number below:	
TR	TRACKING #:					
		PRODUCTS:	QUANTITY:	PRICE:	SUBTOTAL:	
	VersaCap Edge - 2.5" (w)	x 1.875" (h) 32" to 46" (l)				
_	VersaCap Square - 3" (w	/) x 2.375" (h) 32" to 46" (l)				
VERSACAP	VersaCap Round - 3.937	5" (w) x 1.75" (h) 32" to 46" (l)				
RS/	VersaCap Shim For Use with VersaCap Edge of	or Square on Box Stair Cases				
>	Bullnose Shim-46 For Use with VersaCap Round	on Box Stair Cases				
	Flooring Plank to Comple Not Available With the Custom	te Your Tread ler Provides Floor Program				
S	VersaCap Edge, Plank, Not Available With the Custome	& 3/8 Thick 46" Long TFL White Stair Riser er Provides Floor Program				
NOI		k, & 3/8 Thick 46" Long TFL White Stair Rise er Provides Floor Program				
OPTIONS	VersaCap Round, Plank	k, & 3/8 Thick 46" Long TFL White Stair Rise or Provides Floor Program	r			
E E	VersaCap Edge & Plar	ık				
OND D	VersaCap Square & Pl	ank				
<u>Б</u>	VersaCap Round & Pla	ank ler Provides Floor Program				
ACA	VersaCap Edge & 3/8 Th	nick 46" Long TFL White Stair Riser				
VERSACAP BUNDLE	VersaCap Square & 3/8	Thick 46" Long TFL White Stair Riser				
IA	VersaCap Round & 3/8	Thick 46" Long TFL White Stair Riser				
10	10 oz. Molding Adhesiv Ships Free with Molding Order	/e				
CTS	10-Inch Saw Blades FREE SHIPPING for Saw Blade					
PRODUCTS	BlueZone Perimeter Ta 1 Roll Ships Free with Molding	Order. *Box & Case Ship FOB Henderson and Do Not Qualify for Free Shipp	14* bing.			
	Ships Free with Molding Order					
MAL	Ships Free with Molding Order	ping Block 1 Block 1 Box/24* 1 Case/72  *Box & Case Ship FOB Henderson and Do Not Quality for Free Shipp	ping.			
101	3/8" Thick 46" Long TFI Ships Free with Molding Order	L White Stair Riser (Bundles of 4 - Priced per piece)		Bundles of 4, Price per Pc.		
ADDITION	5/8" Thick 46" Long TFI Ships Free with Molding Order	L White Stair Riser (Bundles of 4 - Priced per piece)		Bundles of 4, Price per Pc.		
∢		ADDITIONAL PRO	DUCTS SHIPPING CO	ST IF IT APPLIES:		
		×	Judos \$5 00 Handling Foo	CUPTOTAL		
**FLAT RATE  SHIPPING & HANDLING  **Button   Shipping   Shipping						
ان ا		NV NV NE IA IIIN OH PA NJ DE	Residential Addresses	SHIPPING**: See Flat Rate Chart at Left & Choose either East OR West:		
	S&H West	AZ NM OK AR TIN SC	S&H East	WEST EAST		
	\$36.50	TX TX	\$26.50	GRAND TOTAL:		

1 Piece Minimum to Order. On VersaCap orders of 30 or more, customers is expected to accept & pay for a 10% over or under run. Lead Time: Up to 15 business days once flooring has been received and order has been placed.









#### AWARD-WINNING PRODUCT!

## **VERSACAP: MATCHING STAIR SOLUTIONS**

#### Caps Are Made With Your Actual Flooring to Perfectly Match!

The VersaCap is used to create matching, flush stair treads & returns that perfectly match your floor to give your staircase an elegant cohesive look. VersaCap is available in the following profiles:

- VersaCap Edge The Edge has a low profile height of 1-7/8"
- VersaCap Square The Square a taller profile height of 2-3/8"
- VersaCap Round The Rounds has a low profile height of 1-3/4"

Order your flooring plank to complete your tread! Available with a cap purchase only and will be cut to the size of the cap.

Lead Time: Approximately 15 business days

1 Piece Minimum per order

VersaCaps are made-to-order: Once an order is placed it cannot be canceled and the product cannot be returned.



#### VersaCap Edge

Like the VersaCap Square, our VersaCap Edge is made from the actual floor but offers a slimmer profile at 1-7/8"

Length: 32-46" Long\*\*





#### VersaCap Square

The VersaCap Square is used to create matching, flush stair treads & returns that perfectly match your floor to give your staircase an elegant cohesive look.

Length: 32-46" Long\*\*





#### VersaCap Round - New Profile Now Available!

Like the VersaCap Square and Edge, the VersaCap Round is made from the actual floor. It offers an elegant rounded edge to enhance your stair treads.

Length: 32-46" Long\*\*





#### Flooring Plank to Complete Your Tread

If you order a cap in a Versatrim Provided Floor, you can order a flooring plank to complete your stair tread.

Length: Cut to the size of your cap

Flooring plank is only available with a VersaCap purchase! It is not available through the Customer Provides Floor VersaCap program.



<sup>\*</sup>Since flooring thicknesses vary, to find inside height dim. of your VersaCap, measure the thickness of your floor, multiply it by 2, & subtract it from the outside height.

<sup>\*\*</sup>VersaCap can be produced in varying length. In standard configuration they can not exceed 46". Please inquire within your sales rep if you have require longer length



## Order online at versatrim.com or call 1.866.200.8132

## WHITE STAIR RISERS



#### **White Stair Risers**

Used to enhance stair landings. Our white stair risers comes in high quality TFL cabinet finish that is highly durable, and easy cleanable. No need to paint it white. It is also paintable if you prefer another color.

Surface Material: High Quality TFL (Thermally Fused Laminate)


Core Material: Standard Particle Board


Thickness: Our risers come in 2 thicknesses: 3/8" and 5/8" thick.

Length: Comes in 2 lengths: 46" and 96" long

This product is excluded from our free shipping options.

46" Risers ship in bundles of 4 or individually with a VersaCap order. 96" Risers are sold by the pallet (min of 100 pcs.) and ship LTL only.






We do not cut risers; we only sell as stock 46" and 96" lengths.

### **PRODUCT HIGHLIGHTS:** · Ready to install with a durable TFL white finish

- · Lightweight and non-warp particle board core
- Paintable surface\*
- Available as a bundle option for our VersaCap (See details below).

\*Requires a light sanding before painting







## **AVAILABLE FLOORS** in the Versatrim Provides Floor Program:

**Versatrim Provides Floor:** We have partnered with many manufacturers to purchase flooring directly to make VersaCaps. A full list of available brands/collections are listed on this 2-page spread. If you don't see your floor listed below, consider our **Customer Provides Floor Program** (See page 2 for details).

Lead Time: up to 15 business days once order has been released. See page 2 for details.

BRAND	FLOOR NAME	LENGTH
AXISTOR: PERFORMANCE FLOORING	Anthem Prime Prime Plus PRO 7 PRO 9 Trio White Box	44" 44" 44" 46" 46" 46" 44"
<b>O</b> bhwfloors	Evolution Sawatch	46" 44"
Eastern WATERPROOF FLOORING	RigidLock Plus RockLock Plus RockLock Plus II	44" 44" 44"
Engineered FLOORS®	Adventure II Bella Sera Brilliance Italian Impressions Lifestyle Lux Haus II New Standard II New Standard Plus Preference Renewal Timeless Beauty	44" 46" 44" 46" 44" 46" 44" 44" 44" 44"
ESSENTIAL FLOOR PRODUCTS	Fury Ravor SP	44" 44"
ечоке.	Contract VCC 5mm Runway Vital	44" 46" 44"
FloorFolio°	Rigid Hybrid Collection	44"
FLOORS FOR LIFE	Advantage Essential Flex Core Distinctions Flex Core Naturals Rigid Core Values	44" 46" 46" 44" 44"
(H <sub>2</sub> O	H2O (Karndean)	46"
HappyFeet INTERNATIONAL	Blockbuster Plus Black Label/Malibu Black Label/Manhattan Built-Rite Enduring Elegance Extreme Cork Gladiator Maverick Rescue Rustic Elegance/Project X Sidewinder Stone Elegance Thrive	44" 46" 32" 46" 34" 44" 44" 44" 44" 44" 44" 44" 44"
Homelegend. A TIMELESS CHOICE	Foundation Foundation Plus Harbor Pinnacle Sinclair Stonecast 6.5 mm Stonecast 7.0 mm Stonecast 7.5 mm	44" 44" 44" 46" 44" 44" 46" 46"
Johnson hardwood	Coffee House Farmhouse Manor Public House Sicily Series Skyview	44" 44" 46" 46" 46"

BRAND	FLOOR NAME	LENGTH
Karndean Designflooring	Art Select Rigid Core CCA K Trade Rigid Korlok Reserve Van Gogh Rigid Core	46" 46" 44" 44" 44"
LX Hausys	PrestG Click PRESTGXL	46" 46"
MATREXX	Carbonado	44"
next floor	Expanse Expanse Tile Incredible	46" 32" 44"
NRF DISTRIBUTORS	Exceptional	44"
6 six degrees	Varacore	44"
Southwind carpet mills	Authentic Equity Harbor Plank Panoramic Rigid Click Now/Rigid Plus Timeless	46" 46" 44" 46" 44" 44"
STANTON	Beachview Collection Cityfield Collection Grove Collection Oakley Collection OceanView Collection SeaView Collection Timberland Collection Urbanite Collection Woodlands Collection	44" 44" 44" 44" 44" 44" 44" 44"
Sal surface art inc	Targhee Collection Tenton Collection	44" 44"
<b>©</b> Tarkett	EverGen - 46" NuGen Click - 44" Nugen Click XL - 46" ProGen 5 - 46" Progen 7 - 44" ProGen XL 46" ProGen XXL - 46" Vericore Rigid - 44"	46" 44" 46" 46" 44" 46" 46"

Don't see your floor listed? Call **1.866.200.8132** to ask our Versatrim Team about our **Customer Provides Floor Program**. See details below.

## **CUSTOMER PROVIDES FLOOR PROGRAM:**

#### Call our Versatrim Team to see what collections have been tested: 1.866,200.8132

If your flooring is not listed, you can send us the floor to test. Please ask your Sales Representative for a testing form.

Once a floor has passed testing and is available to produce VersaCaps, the customer is required to ship at least 20% or more flooring than the quantity of caps requested. Unused flooring or waste will not be returned.

To place an order for an available Customer Provides Floor VersaCap, see Page 3 on how to order.

Lead Time: Up to 15 business days once flooring has been received and order has been released.





## **ACCESSORIES** for VersaCap:



#### VersaCap Shim

The VersaCap Shim is to be used to install our VersaCap Edge and Square specifically on box staircases, to create a stabilized step.

Material: Standard MDF Length: 46" Long

#### **FOR USE WITH:**

- VersaCap Edge
- VersaCap Square





#### Bullnose Shim-46 - NEW! In Stock!

Our Bullnose Shim-46 is to be used to install our VersaCap Round, specifically on box staircases, to create a stabilized, rounded step.

Material: Standard MDF

Length: 46" Long

FOR USE WITH:

VersaCap Round

**NEW** 

**PRODUCT!** 

Contact Your Sales

Representative for More Info





Versatrim offers a custom full tread stair solution made from your exact floor planks.

Choose from three profiles—Round, Square, or Edge—for quick installation with our Molding Adhesive. Also available as a pack with our TFL risers

**AVAILABLE IN:** 













or Visit Versatrim.com

See Page 6 for more information or page 26 for pricing





## Order online at versatrim.com or call 1.866.200.8132

## **ACCESSORIES for Installation:**



#### BlueZone Perimeter Tape\* - NEW! In Stock!

BlueZone outperforms traditional caulking methods. BlueZone applied around the perimeter of flooring installations will effectively seal the expansion area, preventing spills from damaging both the flooring and subfloor.

The ease of use encourages proper perimeter sealing, keeping your floor and subfloor safe for the life of the flooring with proven moisture-proofing technology against liquids, including pet urine.

BlueZone has been proven to be more effective than the standard silicone/backer rod process. Offering a lower cost & more consistent, easier application. Choose BlueZone for a reliable, efficient, and long-lasting flooring protection solution.

Material: Constructed from high-grade 6 mil polyethylene and a permanently tacky rubber adhesive

#### · Easy, clean application

- . No special tools needed
- Low-temperature adherence
- Tear resistance
- Prevents moisture intrusion into floor expansion areas
- Low cost
- · Bonds well to most surfaces



#### CalFlor Installation Kit with VersaBlock\* - NEW! In Stock!

CalFlor® Flooring Installation Kit with VersaBlock® features quality products, designed to make your projects go smoothly.

#### The kit includes:

1 VersaBlock Tapping Block 1 Heavy Duty Steel Pull Bar 20 Stepped Spacers

#### **FOR USE WITH:**

FOR USE WITH:

floor moldings

All of our

and trims.

For Vinyl, Laminate, & Engineered Floorina

- · Sturdy tapered steel pull bar to withstand many installs
- Stepped installation spacers are suitable for different expansion specs
- VersaBlock (Also available separately), features 3 different edges to work with multiple styles of flooring



#### VersaBlock\* - NEW! In Stock!

VersaBlock is the perfect tool for all skill levels. Unlike regular tapping blocks that only accommodate one or two flooring edge profiles, the VersaBlock can handle thin, medium, and thick floors, ensuring perfect contact every time.

To maximize the utility of the tapping block features include a ruler, pencil holes for tracing wall curvature and creating straight lines, and a knife notch to help cut off flooring edges with ease.

#### FOR USE WITH:

For Vinyl, Laminate, & Engineered Flooring

- Multi-use tool
- · Easy Use
- Sturdy Material
- · For use with wood, laminate and vinyl flooring products
- · Buyer-friendly product minimizes the amount of tools needed on both current & future installs



### Molding Adhesive by Versatrim\*

The only molding adhesive you'll need! This wet-set, early-grab, 12-hour curing formula is low-odor and easy-to-clean, leaving no surface residue or ghosting, even once dried. It provides an excellent bond for moldings.


10-oz. Cartridige.



#### FOR USE WITH:

 All moldings. trim & stair solutions

- No Shrink Formula
- · High Strength, Waterproof
- Extremely Low VOC
- · Covers roughly 15-20 Lin. Ft. depending on application and bead size.
- No Surface Residue
- 12-Hour Cure Time



#### 10-Inch Saw Blade\*

Our high quality 10" Saw Blade is ideal for floor moldings and is designed for ultra smooth cross cutting on a table saw or miter saw. Blade work on all Versatrim products, including VersaCaps & VersaĔdge Extra Tall (VEX).

#### FOR USE WITH:

 All moldings, trim & stair solutions

- Carbide Tipped for long life & smooth cuts
- 80 Teeth Alternate Bevel
- · Wide range of use, including aluminum
- Blade can be sharpened
- · Heat Resistant Non-Stick Coating for cleaner cuts


#### \*Ships Free with Any Molding Order!



## BASIC VERSACAP INSTALLATION

Versatrim does <u>not</u> recommend that you join two caps together in order to complete one stair nose

Versatrim does not provide custom cuts



<u>CAUTION:</u> Depending on the floor type, the VersaCap may come with padding. If the padding is not securely attached it should be removed from the cap and/or the plank before installing to stair.

<u>NOTE:</u> Small broken areas (less than 1") in the locking system of your Cap will not cause any issues with installation because the cap and floor will be glued down.

#### Step 1

Clean the staircase from all dust and debris. All wood or concrete stair surfaces must be properly prepared, stable, flat, and free of adhesive residue or anything that may be an adhesive bond breaker. **IMPORTANT**: **Installing over existing flooring on stairs is not permitted. Existing flooring must be removed.** 

Once staircase is clean, measure each stair and cut your planks and caps. *If creating returns, use a miter saw set at 45° angles to make the cuts.* Dry fit the caps, returns, & planks prior to spreading any adhesive. Leave them in place until ready to glue down.

<u>NOTE:</u> Start at the top of the Stair Case and work your way down. The strategy, as you will see in the steps that follow, will be to glue and staple down the VersaCap first. Then, glue down the plank and/or return(s). Move on to the next stair and repeat **Steps 2 to 5**.

#### Step 2

IMPORTANT: The VersaCap does not come with an underlayment. Apply enough adhesive to the broad flat area to make the Caps and Returns level with the floor plank. Turn the first VersaCap over and apply adhesive on the inside corner and a generous amount of Versatrim's Molding Adhesive\* on the broad flat area. (See illustration on the left).

#### Step 3

Place the Versacap on the stair. Position it where you want it.

Clean up any excess adhesive with a damp rag.

#### Step 4

Make sure the underlayment is firmly and completely attached to the floor plank. If it is not, either remove it or reattach it with PUR adhesive. Next, take the plank and/or return(s) that go with the VersaCap you just fixed on the Stair. Turn them over and apply a generous amount of **Molding Adhesive** to them. If installing returns, apply glue to the inside corner of the return and then apply adhesive to the broad flat area of the return like you did to the Cap in **Step 2.** (See illus. at left).


#### Step 5

Next, place the plank and/or return(s) in place. Clean up any excess adhesive with a damp rag before applying the painters tape.

Use painter's tape to tape the VersaCap to the flooring plank and returns. Place a heavy weight across the seams. Let the **Molding Adhesive** cure for 48 hours before heavy traffic. Once dry, you can remove painter's tape from stairs.

Next, move on to the next stair and repeat Steps 2 to 5.

If your VersaCap is slightly bowed, please see instructions at the bottom of page 12. FOR INSTALLING ON A BOX STAIRCASE (NO-OVERHANG), SEE BELOW.





<sup>\*</sup>For more information, go to: versatrim.com/molding-adhesive

<sup>\*\*</sup>Per 2018 Building code (IBC R311.7.5.3) an overhang stair tread of not less then 3/4" is required when treads are less then 11" deep, but please make sure to check with your local code officials as local jurisdictions have their own rules.

SUSTAINABILITY


## CUTTING VERSACAP TO CREATE RETURNS
















Versatrim does not provide custom cuts

Make sure to use safety goggles and thick gloves while using saw and handling the blade

#### Step 1 - MAKE TEST CUTS ON SCRAP 2x4

**IMPORTANT:** Make sure the bevel angle is set to **ZERO** (A).

We highly recommend you do a test cut on 2 scrap pieces of 2x4 to make sure your cuts line up. Set the miter angle to 45 degrees for the first cut (B). Cut the 2x4 (C)

Then change angle of miter cut to 45 degrees in the other direction (D). Cut the other piece of 2x4.

Line up ends of the 2x4s to form a corner (E). Check the pieces to see if they line up correctly with **no gap** on the top or front view (F).

#### Step 2 - CUT YOUR VERSACAP

**IMPORTANT:** Use a scrap 2x4 piece to set VersaCap on while you make the cuts (G). This will keep them level as you cut.

Set the miter angle to **45 degrees**. Cut the VersaCap **(H)**.

#### **REMINDER:** Always wear safety goggles when using the saw

IMPORTANT: Hold the VersaCap extremely tight, otherwise it will pull in the direction of the blade and your cut will be off

Change miter angle to 45 degrees in the other direction (I). Cut the other piece that you are using for the Return. Again, make sure you hold the VersaCap extremely tight. Don't let it move while you make the cut.

Check the Cap & Return to see if they line up correctly with **no gap** on the top or front view (J).

#### Step 3 - APPLYING CAP & RETURN TO THE STAIRS

**IMPORTANT:** The VersaCap does not come with an underlayment. Apply enough adhesive to the broad flat area to make the Caps & Returns level with the floor plank.

After wiping the Cap & Return clean from debris, test the fit on your stairway. Make sure there is no gap between them (M).

After you test the fit, run thick lines of Versatrim's Molding Adhesive\* along the inside corner and along the broad flat surface of the Versa Cap (N).

Put the Cap in place, pressing down firmly to make sure it is in contact with the stair (O). Make sure the edge is square.

Clean up any excess adhesive with a damp rag.

**IMPORTANT:** Make sure the underlayment is firmly and completely attached to the floor plank. If it is not, either remove it or reattach it with PUR adhesive.

Next, take the plank and Return that go with the VersaCap you just fixed on the Stair. Turn them over and apply a generous amount of Molding Adhesive to them. Apply glue to the inside corner of the return and then apply adhesive to the broad flat area.

Next, place the plank and Return in place (P).

Clean up any excess adhesive with a damp rag before applying the painters

While pressing both ends firmly together, stretch a piece of painter's tape tightly across the corner edge to keep the moldings from separating while the adhesive cures (Q).

Place a heavy weight across the seams (R)

Let the Molding Adhesive cure for 48 hours before heavy traffic. Once dry, you can remove painter's tape from stairs.

\* For more information, go to: versatrim.com/molding-adhesive

#### When we machine the planks we change the symmetry of tension and some bowing is to be expected. Here is how you install a slightly bowed VersaCap:

- After you cut your planks and VersaCaps to size, dry fit them to see which caps are bowing. You may see a slight 1 to 2 mm gap either towards the ends of the plank or towards the middle caused by the bowing
- Glue your VersaCap in place on the step. Then apply glue to the back of the plank. We also advise to put a thin swipe of construction glue into the click system of the floor plank. · Line up the plank to the VersaCap so that both ends meet.
- Start at one end and snap the plank into place by lining it up with the VersaCaps groove and lowering it down.
- Take a strip of painter's tape and start towards the very top of the flooring plank and end under the lip of the VersaCap, or even on the stair riser below the cap, pulling tightly so that the VersaCap and plank are held snug in place by the tape.
- . Work your way down to the other end, pressing firmly and using your body weight to push the flooring groove into the VersaCap until it snaps into place.
- Then add strips of painter's tape to the other end and to the center of the tread to hold the VersaCap in place until the glue dries. Apply weights.





## **MARKETING RESOURCES**

#### **VersaCap 6 Inch Sample Piece**

Our 6" long VersaCap sample pieces are easy to handle and are available in Edge, Square, and Round. On the bottom of each sample is a label with product specs and dimensions. Our VersaCaps match your floor perfectly, because they are made from the actual flooring.



#### **VersaCap Handheld Display**

Our 7" (w) x 7" (d) x 2.5" (h) Handheld VersaCap Display demonstrates how our VersaCap Square and Round will look installed.



#### **Versatrim Tread Sample**

Our 10" long Versatrim Tread sample pieces show off our new full tread stair solutions! They come in Round, Square and Edge. The branded tape on the top side of the tread is removed after actual full-size tread installation.



If you are interested in receiving a sample, Email: sales@versatrim.com

Free samples are for flooring businesses only.



## **ADDITIONAL STAIR SOLUTIONS**

If VersaCap does not fit your needs, Versatrim offers 4 additional stair solution profiles for flush or overlap installs:

- Round Stair Nose Round, PVC Stair Nose with a 1.5" profile height. For use on flooring with an overall thickness of up to 3/4" (19 mm)\*.
- VersaEdge Stair Nose Square, PVC Stair Nose with a 1" profile height. For use on flooring with an overall thickness of up to 3/4" (19 mm)\*.
- VersaEdge Extra Tall Stair Nose Square, aluminum Stair Nose with a 1.5" profile height. For use on flooring with an overall thickness of up to 3/4" (19 mm)\*.
- Moisture Proof Stair Nose 3/4" high, exterior grade composite wood product Stair Nose. For use on 8 mm and 12 mm floors.

Each of the above moldings are:

- · Available in thousands of colors to choose from that will coordinate with your floor
- 94" Long
- Waterproof

#### 1 Piece Minimum per order

Round Stair Nose, VersaEdge Extra Tall and Moisture Proof Stair Nose are made-to-order and are nonreturnable.

These moldings can <u>not</u> be shipped with a VersaCap order. Contact your Sales Representative for more information.


















## **NEW PRODUCT HIGHLIGHTS**

#### Versatrim is the Leader in Trim Innovation Offering "Everything But the Floor!"

We've expanded our product portfolio to provide our customers with the following NEW innovative products: Our full tread stair solution, the Versatrim Tread, 10-Inch Saw Blades, white stair risers with VersaCap bundle options, the only Molding Adhesive you'll need for all your flooring projects! Available now, we are introduced the NEW VersaCap Round profile to our popular matching stair solutions.



<sup>\*\$8.50</sup> Flat rate shipping for blade only orders. For lower 48 Continental United States only. Please inquire with your Sales Rep for Alaska, Hawaii, or any other freight quotes.

<sup>\*\*</sup>Requires a light sanding before painting

<sup>\*\*\*\$8.50</sup> Flat rate shipping for adhesive only orders. For lower 48 Continental United States only. Please inquire with your Sale Rep for Alaska, Hawaii, or any other freight quotes. Boxes & Cases ship FOB Henderson.

#### THE VERSATRIM GUARANTEE

IF WE DON'T SHIP ON TIME, YOUR NEXT ORDER SHIPS FREE!

#### New Products to help with Floor Installation. We Offer Everything But the Floor!

Installing a new floor? Our new CalFlor Flooring Installation Kit includes: 3 useful tools: 1 Heavy Duty Steel Pull Bar, 20 Stepped Installation Spacers, and 1 VersaBlock Tapping Block, which is also available separately. Use BlueZone Perimeter Sealant Tape to protect your floor & subfloor from spills. We've also added the following new products: Fittes floor vents, primed-white quarter rounds & base shoes, and a new VersaFlex Corner Molding profile, all designed to help beautify your floor!.



BLUEZONE PERIMETER
SEALANT TAPE

As an alternative to traditional caulking methods, BlueZone applied around the perimeter of flooring installations will effectively seal the expansion area, preventing spills from damaging both the flooring and subfloor with proven moisture-proofing technology against liquids.

#### **PRODUCT HIGHLIGHTS:**

- · Easy, clean application
- · No special tools needed
- Low-temperature adherence
- Tear resistance
- Prevents moisture intrusion into floor expansion areas
- Low cost
- . Bonds well to most surfaces

Available Now!

**VersaFlex**Corn<mark>er Molding</mark>

1 Roll Ships FREE with Any Molding Order.\* Also available in a box of 12 or a case of 144 rolls.

See page 18 for pricing.

1 Kit or 1 Block Ships FREE with Any Molding Order. Kit is also available in a box or of 10 kits and the VersaBlock is also available in a box of 24 or a case of 72 blocks.

See page 18 for pricing.

with multiple styles of flooring

## INTRODUCING

FITES VENTS

Call your Sales Rep. for more info.

Introducing 8 new in-stock Fittes Vents! These stylish and functional vents are the perfect complement to your flooring projects, adding a touch of modern elegance to any space.

#### **PRODUCT HIGHLIGHTS:**

- Sleek and contemporary design that seamlessly blends with modern interiors
- Durable construction for long-lasting performance and reliability
- Easy installation for convenience & efficiency in your projects

#### Ships FREE with Any Molding Order\*

\*\$15 Flat rate shipping for vents only orders. For lower 48 Continental United States only. Please inquire with your Sales Rep for Alaska, Hawaii, or any other freight quotes. Call your Sales Rep. for more information.



to conceal the space between the wall's baseboard and the flooring.

**Surface Material:** Primed Painted Surface **Core Material:** Standard MDF

Length: 96" Long


**Quantities:** Factory direct skid quantities. Please inquire with your sales associate for details

This product is excluded from our free shipping options.

#### **PRODUCT HIGHLIGHTS:**

- 96" Length available in full skids/ pallets only
- 3/4" Height
- Primed and ready to paint

Call your Sales Rep. for more information.



SUSTAINABILITY



## FLAT RATE\* SHIPPING

Effective March 1, 2024

Please contact our customer service department for shipping charges for Hawaii, Alaska and any location outside the United States of America.

\*Flat rate includes a \$5.00 handling fee.

Seasonal surcharges may apply.




## **Transit Time**

Transit times reflect standard business days which does not include Saturday or Sunday. Saturday delivery may be available upon request at an additional cost.

Lead times are for FedEx Ground Shipments. LTL Shipments with trucking companies have a similar transit time, for exact transit times please contact your sales associate.

Transit may take an additional day or two at times.



HOW TO ORDER

## Order online at versatrim.com or call 1.866.200.8132

		List		VersaCap Customer Provides the Flooring
ECTIVE		Quantities		1 Piece
132曲		Lead Time		15 Business Days
DATE 5		Returns		Custom Product: Non-Returnable
VCAP E D				
VCAP				
VCAP E D	Patent Pending			
	No.			NA
		VersaCap Edge, Plank, & 3/8 Thick 46" Riser*		NA
w	communica con construction of the construction			NA
otion	( vaianamumina	VersaCap Round, P <b>Contact</b>	nur	NA
e 0	-	VersaCap Edge & Plank	<i>oui</i>	NA
Bund		Versa Sale Represe	ntativo	NA
Cap		VersaCop Rank Glark 1691636	IIIalive	NA
ersa	VIIIIIIIIIIIIII	VersaCap Edge & 3/8 Lick 46" Ris	mal	
	Variation	VersaCap Edge & 3/8 Fok 46" Ris Price VersaCap Square & 1810 46" Rise VersaCap Square & 1810 4	iiy:	

Flat Rate Shipping Applies
\*5/8" Thick and 96" Long Risers are not available in VersaCan Rundles

Additional Produ	ucts <b>1.86</b>	56,200,8132 Shipping Cost
		1 Ten oz. Tube
0	10-Inch Saw Blade	
	BlueZone Perimete	4SK ABOUT 3
	CalFlor VersaBlo	PRODUCTS!
	CalFlor Flooring Installation Kit**	
	TFL White Stair Riser***	3/8 Thick/96" Long
		5/8 Thick/46" Long 5/8 Thick/96" Long

\*\*Ships free with any molding order. \$8.50 shipping & handling fee will apply for adhesive, tape (1 roll only), installation kit, or VersaBlock only orders. For lower 48 Continental United States Only.

\*\*\*\*Ships in bundles of 4 for free (56.50 handling fee applies) or individually with a VersaCap order.

\*\*Terms: Our Credit Application form is available at versatrim..com/how-to-order.

\*\*Pricine Shipper for Change / Capacital Fee Could Apply

\*\*Pricine Shipper for Change / Capacital Fee Could Apply

## EXPERIENCE the Versatrim Difference With Our

# ONLINE STORE!



## **Quick Ship Items & No Minimums!**

Versatrim.com









1.866.200.8132

Versatrim LLC, 101 Eastern Minerals Road, Henderson, NC 27537 USA • versatrim.com • sales@versatrim.com

Versatrim, an award-winning leader in the flooring industry located just outside Raleigh, NC, distinguishes itself through its comprehensive line of custom-coordinated floor moldings and trims tailored for laminate and vinyl flooring. Versatrim's innovative approach to molding solutions, coupled with its expert coordination with the latest color trends in the vinyl, LVT, WPC, SPC, and laminate flooring sectors, has propelled the company to the forefront as a premier manufacturer of floor moldings and accessories.







